

2

SDS GHS Safety Data Sheet

Flexmar Coatings Inc.

NextGen High Solids 0-VOC Component A

PRODUCT AND COMPANY IDENTIFICATION

Supplier Details: Flexmar Coatings Inc.

PO Box 210

New Kensington, PA 15068

Chemtrec (800) 424-9300 **Emergency:**

HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Health, Serious Eye Damage/Eye Irritation, 1 Health, Skin corrosion/irritation, 1 A

Health, Skin sensitization, 1

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: DANGER

GHS Hazard Pictograms:



GHS Hazard Statements:

H318 - Causes serious eye damage

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

GHS Precautionary Statements:

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P264 - Wash thoroughly after handling.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry: Eyes; Ingestion; Skin;

Inhalation: Minimal respiratory tract irritation may occur with exposure to a large amount of material.

Skin Contact: May cause irritation, tearing and redness.

Eye Contact: May cause irritation.

Ingestion: Ingestion is not an applicable route of entry for intended use.



SDS GHS Safety Data Sheet

Flexmar Coatings Inc.

NextGen High Solids 0-VOC Component A

COMPOSITION/INFORMATION OF INGREDIENTS

Ingredients:

Cas#	<u></u> %	Chemical Name
136210-30-5	60-95%	Aspartic acid, N,N'-(methylenedi-4,1-cyclohexanediyl)bis-, tetraethyl ester
-40-7 98-56-6 34590-94-8	3-15% 0-7% 0-3%	Proprietary Benzene, 1-chloro-4-(trifluoromethyl)- Dipropylene glycol methyl ether

FIRST AID MEASURES

Inhalation: If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention. **Skin Contact:** Remove contaminated clothing and wash before reuse. Get medical attention if needed.

Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate

irrigation. Get immediate medical attention.

Ingestion: Bring to the attention of a physician. Do NOT induce vomiting or attempt chemical neutralization. Rinse mouth with

water. Get prompt, qualified medical attention.

5 FIRE FIGHTING MEASURES

Flammability: 2 **Flash Point:** 116 F **Flash Point Method:** Tag CC **Burning Rate:** Not Determined

Extinguishing media: Foam/Carbon Dioxide/Dry Chemical/Water fog

Special Fire Fighting Proceedures: Wear self contained breathing apparatus and complete PPE when entering confined areas where potential for exposure to vapors or product exists.

6 **ACCIDENTAL RELEASE MEASURES**

Do not discharge into drains.

Pick up excess with inert absorbant material and place into separate waste container.

HANDLING AND STORAGE

Handling Precautions: Avoid contact with eyes, skin, or clothing. Handle with care and avoid spillage on the floor (slippage).

Keep material out of reach of children. Use approved containers only. Wash clothing before reuse and

decontaminate or discard contaminated shoes. Wash thoroughly after handling.

Storage Requirements: Keep away from heat, sparks, and flames. Suitable packing materials.



SDS GHS Safety Data Sheet

ND

Flexmar Coatings Inc.

NextGen High Solids 0-VOC Component A

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:

Use mechanical (general) ventilation for storage areas.

Personal Protective Equipment:

Chemical goggles; Chemical resistant gloves; Chemical safety glasses; Organic vapor respirator with

dust, mist, and fume filters; Full suit;

Exposure Limits:

USA OSHA (TWA5)/PEL): N/A

ACGIH (TWA/TLV): N/A

DFG (MAK): N/A

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colorless liquid.

Physical State: Liquid **Odor Threshold:** ND Spec Grav./Density: 1.1-1.4 Viscosity: ND **Boiling Point:** ND **Partition Coefficient:** ND Vapor Pressure: ND :Ha ND

Solubility: ND <10% **Percent Volatile:** Freezing/Melting Pt.: ND Flash Point: ND Vapor Density: ND **Auto-Ignition Temp:** ND UFL/LFL: ND

Odor:

Evap. Rate: ND Decomp Temp: ND

10 STABILITY AND REACTIVITY

Reactivity: No specific test data related to reactivity available for this product or its ingredients

Chemical Stability: Product is stable under normal conditions.

Conditions to Avoid: No specific data No specific data Materials to Avoid: Not known. **Hazardous Decomposition: Hazardous Polymerization:** Will not occur.

11 **TOXICOLOGICAL INFORMATION**

Acute Toxicity:

Oral (LD 50): Estimated to be greater than 10000 MG/KG (rats)

Inhalation (LC 50): Lower respiratory irritant

Skin irritation: Primary dermal irritation score: 3.8/8.0 (rabbit

Eye irritation: Sever irritant capable of inducing corneal injury

Sensitation: Pulmonary and dermal sensitizer in animals and humans

Chronic Toxicity:

SDS Number: FM005 Page 3 of 5 Revision Date:



SDS GHS Safety Data Sheet Flexmar Coatings Inc.

NextGen High Solids 0-VOC Component A

12

ECOLOGICAL INFORMATION

Toxicity: Not available

Elimination (persistency and degradability): Not available

13

DISPOSAL CONSIDERATIONS

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers

14

TRANSPORT INFORMATION

Land transport ADR/RID and GGVS/GGVE: Not Regulated

Sea transport IMDG/GGVSee: Not Regulated

Air Transport ICAO-TI and IATA-DGR: Not Regulated

15

REGULATORY INFORMATION

Component (CAS#) [%] - CODES

Aspartic acid, N,N'-(methylenedi-4,1-cyclohexanediyl)bis-, tetraethyl ester (136210-30-5) [60-95%] TSCA

Proprietary (-40-7) [3-10%]

Benzene, 1-chloro-4-(trifluoromethyl)- (98-56-6) [7-15%] TSCA

Dipropylene glycol methyl ether (34590-94-8) [0-3%] MASS, OSHAWAC, PA, TSCA, TXAIR

Regulatory CODE Descriptions

TSCA = Toxic Substances Control Act MASS = MA Massachusetts Hazardous Substances List OSHAWAC = OSHA Workplace Air Contaminants PA = PA Right-To-Know List of Hazardous Substances TXAIR = TX Air Contaminants with Health Effects Screening Level



SDS

GHS Safety Data Sheet Flexmar Coatings Inc.

NextGen High Solids 0-VOC Component A

16

OTHER INFORMATION

The above information is not claiming characteristics of the product in term of legal claims of performance / guarantee.

Disclaimer:

Although reasonable care has been taken in the preparation of this document, Flexmar Coatings, Inc. extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

This information only describes safety measures and no liability may arise from the use or application of the product described herein.

This information is given in good faith and based on our current knowledge of the product.

SDS Number: FM005 Page 5 of 5 Revision Date: